

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,403	11/25/2003	Patrick A. Hosein	4740-242	8049
24112 7590 06/08/2009 COATS & BENNETT, PLLC 1400 Crescent Green, Suite 300			EXAMINER	
			NGUYEN, HANH N	
Cary, NC 27518			ART UNIT	PAPER NUMBER
			2416	
			MAIL DATE	DELIVERY MODE
			06/08/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/721,403 HOSEIN, PATRICK A. Office Action Summary Examiner Art Unit Hanh Nauven 2416 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 23 January 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-44 is/are pending in the application. 4a) Of the above claim(s) 13-23 and 36-44 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-8, 12, 24-31, 35 is/are rejected. 7) Claim(s) 9-11 and 32-34 is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date \_\_\_\_\_\_.

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Application/Control Number: 10/721,403 Page 2

Art Unit: 2416

#### DETAILED ACTION

## Claim Rejections - 35 USC § 101

Claim 1 is rejected under 35 U.S.C. 101 as not falling within one of the four statutory categories of invention. While the claims recite a series of steps or acts to be performed, a statutory "process" under 35 U.S.C. 101 must (1) be tied to particular machine, or (2) transform underlying subject matter (such as an article or material) to a different state or thing. See page 10 of In Re Bilski 88 USPQ2d 1385. The instant claims are neither positively tied to a particular machine that accomplishes the claimed method steps nor transform underlying subject matter, and therefore do not qualify as a statutory process. The claimed method including steps of:

" determining targeted queuing delays for reverse link transmit data; monitoring transmit data queue sizes and ongoing reverse link throughput expressed as current average throughput for data transmissions by the mobile terminal on the reverse link; and generating reverse link rate requests based on determining whether tarqeted queuing delay violations are expected given the transmit data queue sizes and the ongoing reverse link throughput"

is broad enough that the claim could be completely performed mentally, verbally or without a machine nor is any transformation apparent. Applicant is required to amend the claim such that there is at least one limitation having a physical structure hardware performing the limitation.

#### Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 2416

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1 and 24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 1 and 24, it is not clearly addressed at "determining whether targeted queuing delay violations are expected given the tranmit data queue size" However, according to specification on page 3, para[0007], and page 6, para[0015], examiner considers the claimed "target queuing delay violations" as determining whether the time limits data to be transmitted from the mobile station 12 for the service instance can "wait" in the mobile station queue is violated or exceeded or too long".

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-8, 12, 24-31 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nanda et al. ( US 2004/0160922 A1) in view of Lohtia et al. ( US pat. 7,116,708 B2).

In claims 1, 3, 24 and 26, Nanda et al. discloses a method of reverse link rate control at a mobile station (see abstract; determining data rate for a reverse link) comprising: determining targeted queuing delays for reverse link transmit data (examiner considers the claimed "target queue delay" as " a maximum permitted delay" in Nanda et al. Refer

Art Unit: 2416

to para [0022] and [0025] and fig.4, step 402; a maximum permitted delay for a service/flow is negotiated between a mobile station and base station): monitoring transmit data queue sizes (since the claimed limitation does not indicate how the data queue size is monitored; therefore, examiner relies upon para [0027] of Nanda et al. which discloses "mobile station arranges the output queue so that packets are stored in the order of their deadlines and transmitted before their deadline; wherein the deadline refers to the maximum permitted delay for the service. See further fig.4, step 403). Nanda et al. further discloses generating reverse link rate requests based on determining whether targeted queuing delay violations are expected given the transmit data queue sizes ( see para [0027] and [0028] and fig.4, steps 405, 406; the mobile station determines a required data rate based on the deadlines (which is described as maximum permitted delay in para[0027]) associated with the packets in the output queue. Further, in para [0037], the mobile station may require a higher rate to satisfy its QOS if the mobile station determines that any packet in its queue would miss its deadline at a current rate). Nanda et al. discloses generating reverse link rate request based on throughput for data transmission by the mobile terminal (since applicant defines the meaning of "throughput" in the Remark filed on 1/23/09, pages 15, 16 as "how much data is put through a channel or channel efficiency" and the body of the claim does not indicate which device monitors "the throughput" of data transmission. Therefore, in Nanda et al., fig.4, steps 411, 412, 413, para [0102]; examiner considers "a data congestion between the mobile and the base station" as "throughput" because the data congestion alerted to the mobile station represents an amount of data

Art Unit: 2416

transmission has been reduced due to the congestion which means the data transmission efficiency has been reduced than normal. Based on the data congestion, the mobile station drops packets in the queue, determines a new data rates for transmission of the new queue of data packet).

Nanda et al. does not disclose generating a reverse link rate request based on the monitored average throughput for data transmission by the mobile terminal on the reverse link.

Lohtia et al. discloses a method of controlling the data rate transfer over a wireless link between a mobile station 43 and a RNC 40 ( see abstract). In specifcally, at fig.2, col.4, lines 60-67; Lohtia discloses a users or mobile station 43 requests a higher data rates if an average throughput for the user is less than the requested data rate (generating a reverse link rate request based on the monitored average throughput for data transmission by the mobile terminal on the reverse link). Therefore, it would have been obvious to one skilled in the art to apply the teaching of average throughput into Nanda et al. to generate the reverse link rate request based on an average throughput of the mobile station. The motivation is provide channel efficiency.

In claims 12 and 35, Nanda et al. does not disclose calculating an effective data rate from the required data rate that can be achieved using the requested effective data rate. Lohtia discloses in col.2, lines 35-45 and col.5, lines 45-51; despite a high data rate requested by the mobile station, the scheduler 100 ( see fig.2) is able to reduce the effective data rate of communications to mobile station 43 if the scheduler 100 determines that the application alyer 102 does not required the requested high dada

Art Unit: 2416

rate, of if the conditions in the network do not permit transmission at the requested rate (calculating an effective data rate from the required data rate that can be achieved using the requested effective data rate). Therefore, it would have been obvious to one skilled in the art to apply the determining of effective data rate into the Nada et al. so that a mobile station is allocated data rate based on needs. The motivation is to reduce waste of resources in the network.

IN claims 2 and 25, Nanda et al. discloses determining targeted queuing delays for reverse link transmit data comprises determining a targeted queuing delay for each service instance being supported by the mobile station ( see fig.4, steps 401, 402, 403, para [0102]; mobile station determines packets for transmission for a number of communicatin services including determining a transmission deadline and arranges the packets in a queue for transmission in accordance with the determined transmission deadline).

In claims 4 and 27, Nanda et al. discloses generating reverse link rate requests based on the transmit data queue sizes, the ongoing reverse link throughput, and the targeted queuing delays comprises determining whether an expected queuing delay of any service instance exceeds a target queuing delay for that service instance and, if so, requesting a reverse link rate increase ( see para [0037], [0051]; the mobile station may require a higher rate to satisfy its QOS if the mobile station determines that any packet in its queue would miss its deadline at a current rate).

In claims 5 and 28, Nanda et al. discloses generating reverse link rate requests based on the transmit data queue sizes, the ongoing reverse link throughput, and the targeted

Art Unit: 2416

queuing delays comprises determining whether expected queuing delays for all service instances are below target queuing delays defined for the service instances and, if so, requesting a reverse link rate decrease (see para[0064], mobile station may request to decrease, increase the grant or request).

In claims 6 and 29, nanda et al. discloses determining a targeted queuing delay for each service instance being supported by the mobile station comprises receiving service instance delay requirements from a wireless communication network supporting the mobile station (see para [0025], mobile station is awared of the negotiated QOS parameters such as maximum delay associated with the flow).

In claims 7 and 30, nanda et al. discloses generating reverse link rate requests based on the transmit data queue sizes, the ongoing reverse link throughput, and the targeted queuing delays comprises generating reverse link rate requests on an event-triggered basis by comparing expected queuing delays for each of one or more service instances to targeted queuing delays associated with those service instances (see fig.4, steps 411, 412, 413, 414, para [0102]; based on the congestion (even- triggered basis) alerted to the mobile station, mobile station determines a new data rate for transmission, wherein the new data rate is lower than previously determined data rate). In claims 8 and 31,Nanda et al. discloses generating reverse link rate requests based on the transmit data queue sizes, the ongoing reverse link throughput, and the targeted queuing delays comprises generating reverse link rate requests on a periodic basis (see para [0062]; to manage the QOS such as maximum delay, periodic messages that

Art Unit: 2416

request rates and delay are preferable) to control an average queuing delay of the mobile station relative to a targeted queuing delay.

#### Allowable Subject Matter

Claims 9-11, 32-34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Au et al. ( US pat. 7103350);

Scherzer et al. (US pat. 5895258 B1).

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2416

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh Nguyen whose telephone number is 571 272 3092. The examiner can normally be reached on Monday-Thursday from 8AM to 4:30PM. The examiner can also be reached on alternate.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kwang Yao, can be reached on 5712723182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

./Hanh Nguyen/

Primary Examiner, Art Unit 2416